

TARA Bath shower set for bath rim or tile edge installation - Matte Black

TARA

27 512 882    Product version from 4/1/2024



- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 220mm projection
- with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|    | Matte Black                   | 27 512 882-33 |
|    | Chrome                        | 27 512 882-00 |
|    | Brushed Platinum              | 27 512 882-06 |
|    | Platinum                      | 27 512 882-08 |
|    | Dark Chrome                   | 27 512 882-19 |
|    | Brushed Durabrass (23kt Gold) | 27 512 882-28 |
|    | Brushed Dark Brass            | 27 512 882-39 |
|    | Brushed Bronze                | 27 512 882-42 |
|    | Brushed Champagne (22kt Gold) | 27 512 882-46 |
|   | Champagne (22kt Gold)         | 27 512 882-47 |
|  | Brushed Chrome                | 27 512 882-93 |
|  | Brushed Dark Platinum         | 27 512 882-99 |

Recommended miscellaneous

|   |                                    |               |
|---|------------------------------------|---------------|
|  | <b>Perfecto installation kit -</b> | 12 614 970 90 |
|---|------------------------------------|---------------|


Recommended miscellaneous

|   |   |               |
|---|---|---------------|
|  | <b>Decorative caps for Perfecto - Matte Black</b> | 12 801 970-33 |
|   | • 1 pair  |               |

27 512 882 Product version from 4/1/2024



### Flow rate chart



## Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

EN 1717

ISO 3822

## Ü-Zeichen



## TARA Bath shower set for bath rim or tile edge installation - Matte Black

TARA

27 512 882 Product version from 4/1/2024

### Certificates and sustainability

IAPMO\_4976

LGA\_18

Belgaqua\_21-026-2



## Spare parts list

| No.  | Item Number   | Name   | Quantity used | Delivery time |
|--|---------------|--|---------------|---------------|
| 2  | 13 512 892-33 | spout  | 1.00          | 60            |
| 5  | 27 702 979-33 | Hand shower set for bath rim or tile edge installation - Matte Black | 1.00          | 10            |
| 1  | 20 000 882-33 | TARA Deck valve clockwise closing - Matte Black                      | 1.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |               |  |               |               |
| 3  | 12 502 970 90 | High pressure hose 1/2" x 1/2" x 400 mm -                            | 2.00          | 2             |
| 4  | 20 000 883-33 | TARA Deck valve anti-clockwise closing - Matte Black                 | 1.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |               |  |               |               |