


WATER TUBE Kneipp wall elbow with hose holder with individual rosettes -  
Chrome

IMO













27 821 979

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- without hose


Intrinsic protection against back flow.

Product change as of 1.4.2023: max. flow 15 l/min

Fits: IMO, MEM, CL.1, CYO

	Chrome	27 821 979-00
	Brushed Platinum	27 821 979-06
	Platinum	27 821 979-08
	Dark Chrome	27 821 979-19
	Brushed Durabrass (23kt Gold)	27 821 979-28
	Matte Black	27 821 979-33
	Brushed Champagne (22kt Gold)	27 821 979-46
	Champagne (22kt Gold)	27 821 979-47
	Brushed Chrome	27 821 979-93
	Brushed Dark Platinum	27 821 979-99

Recommended miscellaneous




Concealed wall elbow -

- max. recess depth 163 mm
- min. recess depth 90 mm

35 085 970 90

Required miscellaneous




WATER TUBE Kneipp hose white

2000 mm - Chrome

- with holding ring
- hose nozzle with sleeve M33

28 285 979-00

Required miscellaneous



WATER TUBE Kneipp hose black

2000 mm - Chrome

- with holding ring
- hose nozzle with sleeve M33

28 286 979-00

We reserve the right to change designs, product range and technical specifications without prior notice.  
More information can be found at: [www.dornbracht.com](http://www.dornbracht.com) +49 (0) 2371 8899 900 mail@dornbracht.com

1/3

4/28/2024


## WATER TUBE Kneipp wall elbow with hose holder with individual rosettes - Chrome

IMO

27 821 979  
mm [inches]



Flow rate chart




## Certificates

Belgaqua\_22\_280\_2  
7\_7.

# WATER TUBE Kneipp wall elbow with hose holder with individual rosettes - Chrome

IMO

27 821 979



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 20 97 021-00	handle	1	10
2	90 90 03 145 00 90	top	1	2
3	90 23 01 146 00 90	flow reducer	1	2
4	09 11 03 135-00	connection	1	60
5	90 23 01 045 00 90	back-flow preventer	1	2
6	90 31 11 112 00 90	pin	1	2
7	09 14 10 081 90	seal	1	2
8	09 24 03 151 90	nipple	1	2
9	09 31 11 040 90	pin	1	2
10	09 27 97 021-00	rosette	1	10
11	09 14 10 119 90	seal	1	2
12	90 14 10 049 00 90	seal	1	2
13	05 30 31 025 00 90	fixing set	1	2
14	09 27 97 022-00	rosette	1	10
15	08 17 20 726 90	holder	2	2
16	09 31 11 148 90	pin	2	2
17	09 17 20 023-00	holder	1	10