

## WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Dark Chrome

IMO

27 822 979



Fits: IMO, MEM, CL.1, CYO

- laminar flow
- Max. flow rate l/min (at 3 bar)
- rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- without hose

Intrinsic protection against back flow.

Product change as of 1.4.2023: max. flow 15 l/min

	Dark Chrome	27 822 979-19
	Chrome	27 822 979-00
	Brushed Platinum	27 822 979-06
	Platinum	27 822 979-08
	Brushed Durabronze (23kt Gold)	27 822 979-28
	Matte Black	27 822 979-33
	Brushed Champagne (22kt Gold)	27 822 979-46
	Champagne (22kt Gold)	27 822 979-47
	Brushed Chrome	27 822 979-93
	Brushed Dark Platinum	27 822 979-99

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90

- max. recess depth 163 mm
- min. recess depth 90 mm

### Required miscellaneous



#### WATER TUBE Kneipp hose black 2000 mm - Dark Chrome

28 286 979-19

- with holding ring
- hose nozzle with sleeve M33

### Required miscellaneous



#### WATER TUBE Kneipp hose white 2000 mm - Dark Chrome

28 285 979-19


- with holding ring
- hose nozzle with sleeve M33

## WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Dark Chrome


IMO

27 822 979

mm [inches]



Flow rate chart



### Codes & Standards

EN 1717



## WATER TUBE Kneipp wall elbow with individual rosettes with hose holder - Dark Chrome

---

IMO

27 822 979

Certificates

---


Belgaqua\_22\_280\_2

**WATER TUBE Kneipp wall elbow with individual rosettes with hose holder -  
Dark Chrome**

IMO

27 822 979

**Product version from 3/12/2018**





WATER TUBE Kneipp wall elbow with individual rosettes with hose holder -  
Dark Chrome

---

IMO

27 822 979

## **Spare parts list**

**Product version from 3/12/2018**