

Rain shower with ceiling fixing 400 mm - Platinum

28 699 970 Product version from 3/13/2017



- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing
- WRAS

Product change as of 1st April 2024: max. flow 20l/min

| | | |
|---|--------------------------------|---------------|
|  | Platinum | 28 699 970-08 |
|  | Chrome | 28 699 970-00 |
|  | Brushed Platinum | 28 699 970-06 |
|  | Dark Chrome | 28 699 970-19 |
|  | Light Gold | 28 699 970-26 |
|  | Brushed Light Gold | 28 699 970-27 |
|  | Brushed Durabronze (23kt Gold) | 28 699 970-28 |
|  | Matte Black | 28 699 970-33 |
|  | Brushed Bronze | 28 699 970-42 |
|  | Brushed Champagne (22kt Gold) | 28 699 970-46 |
|  | Champagne (22kt Gold) | 28 699 970-47 |
|  | Brushed Chrome | 28 699 970-93 |
|  | Brushed Dark Platinum | 28 699 970-99 |

Recommended miscellaneous



Concealed wall elbow -

- max. recess depth mm
- min. recess depth mm

35 085 970 90

Rain shower with ceiling fixing 400 mm - Platinum

28 699 970 Product version from 3/13/2017

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|--------------------------------|-----------|----------|---------------------------|
| DIN 4109 | EN 1112 | ISO 3822 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |



Rain shower with ceiling fixing 400 mm - Platinum


28 699 970 Product version from 3/13/2017

Certificates

| | | |
|--------|-----------|---------------------|
| LGA_29 | WRAS_2212 | DVGW_DW- 6517DN0 |
|--------|-----------|---------------------|

Rain shower with ceiling fixing 400 mm - Platinum

28 699 970 Product version from 3/13/2017



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 09 27 22 040-08 | rosette | 1 | 40 |
| 2 | 09 14 10 141 90 | seal | 1 | 2 |
| 3 | 09 11 03 080-08 | connection | 1 | 40 |
| 4 | 09 23 01 075 90 | insert | 1 | 2 |
| 5 | 90 12 05 090 00-08 | shower | 1 | 40 |
| 6 | 90 30 09 069 00 90 | key | 1 | 2 |