

TARA ULTRA Single-lever mixer - Brushed Platinum

TARA ULTRA

33 816 875 Product version from 5/31/2010 to 7/25/2018



- 241mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

	Brushed Platinum	33 816 875-06
	Chrome	33 816 875-00
	Platinum	33 816 875-08
	Durabronze (23kt Gold)	33 816 875-09
	Dark Chrome	33 816 875-19
	Brushed Durabronze (23kt Gold)	33 816 875-28
	Matte Black	33 816 875-33
	Brushed Bronze	33 816 875-42
	Brushed Champagne (22kt Gold)	33 816 875-46
	Champagne (22kt Gold)	33 816 875-47
	Brushed Chrome	33 816 875-93
	Brushed Dark Platinum	33 816 875-99

Recommended miscellaneous

Strainer waste with control handle - Brushed Platinum 10 712 970-06



Recommended miscellaneous

Dispenser without rosette - Brushed Platinum 82 424 970-06



33 816 875 Product version from 5/31/2010 to 7/25/2018



Flow rate chart



Codes & Standards

DIN 4109

EN 817

Executive Order
no. 1007

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen

VA-Zeichen



TARA ULTRA Single-lever mixer - Brushed Platinum

TARA ULTRA


33 816 875 Product version from 5/31/2010 to 7/25/2018

Certificates and sustainability

GDV_0400	LGA_18	WRAS_2101	ETA_18
----------	--------	-----------	--------

33 816 875 Product version from 5/31/2010 to 7/25/2018

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	3 09 30 30 080 90	screw	1.00	2
	13 09 31 11 012 90	pin	1.00	2
	9 09 14 10 119 90	seal	1.00	2
	8 09 20 79 040-06	handle	1.00	10
	5 09 24 04 107-06	nut	1.00	10
	2 90 23 01 004 07-06	aerator	1.00	10
	6 09 31 20 017 90	plug	1.00	2
	11 04 30 11 085 88 90	fixing set	1.00	2
	1 90 28 22 202 02-06	spout	1.00	10
	12 04 30 04 016 00 90	hose	2.00	60
	4 90 15 05 061 00 90	cartridge	1.00	60
	10 09 28 10 109-07	ring	1.00	30
	7 90 31 11 030 00 90	pin	1.00	2
	14 90 15 05 045 00 90	cartridge	1.00	2