

## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Bronze

TARA

34 458 892 Product version from 5/1/2022



- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- rain shower Ø 220 mm
- rain shower with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

This article does not include a hand shower!

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Bronze                | 34 458 892-42 |
|    | Chrome                        | 34 458 892-00 |
|    | Brushed Platinum              | 34 458 892-06 |
|    | Platinum                      | 34 458 892-08 |
|    | Dark Chrome                   | 34 458 892-19 |
|    | Brushed Durabrass (23kt Gold) | 34 458 892-28 |
|    | Matte Black                   | 34 458 892-33 |
|    | Brushed Dark Brass            | 34 458 892-39 |
|    | Brushed Champagne (22kt Gold) | 34 458 892-46 |
|   | Champagne (22kt Gold)         | 34 458 892-47 |
|  | Brushed Chrome                | 34 458 892-93 |
|  | Brushed Dark Platinum         | 34 458 892-99 |

## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Bronze

TARA

34 458 892 Product version from 5/1/2022

mm [inches]

1:10



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Bronze

---

TARA

34 458 892 Product version from 5/1/2022

Certificates and sustainability

---

Belgaqua\_22\_283\_2 WRAS\_2204

LGA\_38

## TARA Shower pipe with shower thermostat without hand shower FlowReduce 220 mm - Brushed Bronze

TARA

34 458 892 Product version from 5/1/2022

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

| No. | Item Number        | Name   | Quantity used | Delivery time |
|-----|--------------------|--|---------------|---------------|
| 2   | 04 28 22 346 00-42 | pipe   | 1.00          | 60            |
| 9   | 90 17 33 015 00-42 | handle   | 1.00          | 20            |
| 8   | 04 17 01 250 00-42 | connection   | 1.00          | 60            |
| 3   | 09 14 10 008 90    | seal   | 1.00          | 2             |
| 1   | 90 12 05 092 20-42 | shower   | 1.00          | 20            |
| 5   | 28 322 970-42      | Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Bronze | 1.00          | 20            |
| 4   | 90 17 11 150 00-42 | holder   | 1.00          | 20            |
| 11  | 90 17 33 021 00-42 | handle   | 1.00          | 20            |
| 7   | 90 28 22 349 00-42 | pipe   | 1.00          | 20            |
| 6   | 12 570 970-42      | Slide unit - Brushed Bronze                              | 1.00          | 60            |
| 10  | 90 14 20 026 00 90 | seal   | 1.00          | 2             |