

VAIA Shower pipe with shower thermostat without hand shower FlowReduce - Brushed Platinum

VAIA







34 459 809



- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 7 l/min
- Function from: 6 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Intrinsic protection against back flow.

	Brushed Platinum	34 459 809-06
	Chrome	34 459 809-00
	Platinum	34 459 809-08
	Dark Chrome	34 459 809-19
	Brushed Durabrass (23kt Gold)	34 459 809-28
	Brushed Champagne (22kt Gold)	34 459 809-46
	Champagne (22kt Gold)	34 459 809-47
	Brushed Dark Platinum	34 459 809-99

Required miscellaneous

Hand shower - Brushed Platinum 28 016 979-06



VAIA Shower pipe with shower thermostat without hand shower FlowReduce - Brushed Platinum


VAIA

34 459 809

mm [inches]



Flow rate chart



Certificates

LGA_29987.

WRAS_2204013.


Belgaqua_24-006-
27_8.

VAIA Shower pipe with shower thermostat without hand shower FlowReduce - Brushed Platinum

VAIA

34 459 809

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 12 05 092 00-06	shower	1	10
2	04 28 22 346 00-06	pipe	1	10
3	09 14 10 008 90	seal	1	2
4	90 17 11 150 00-06	holder	1	10
5	28 322 970-06	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Platinum	1	2
6	12 570 970-06	Slide unit - Brushed Platinum	1	10
7	90 28 22 349 00-06	pipe	1	10
8	04 17 01 250 00-06	connection	1	10
9	90 17 33 015 00-06	handle	1	10
10	90 14 20 026 00 90	seal	1	2
11	90 17 33 030 00-06	handle	1	10