

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Dark Brass

SERIES SPECIFIC

36 046 660

Product version from 4/1/2024



- cover plate Ø 80 mm

Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Brushed Dark Brass | 36 046 660-39 |
|  | Chrome | 36 046 660-00 |
|  | Brushed Platinum | 36 046 660-06 |
|  | Platinum | 36 046 660-08 |
|  | Dark Chrome | 36 046 660-19 |
|  | Brushed Durabronze (23kt Gold) | 36 046 660-28 |
|  | Matte Black | 36 046 660-33 |
|  | Brushed Bronze | 36 046 660-42 |
|  | Brushed Champagne (22kt Gold) | 36 046 660-46 |
|  | Champagne (22kt Gold) | 36 046 660-47 |
|  | Brushed Chrome | 36 046 660-93 |
|  | Brushed Dark Platinum | 36 046 660-99 |

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Dark Brass

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Dark Brass

SERIES SPECIFIC

36 046 660 Product version from 4/1/2024

Certificates and sustainability

LGA_38

