


Concealed single-lever mixer with diverter - Champagne (22kt Gold)

SERIES SPECIFIC


36 120 670    Product version from 2/20/2020




- automatic diverter
- cover plate 150 x 90 mm
- WRAS

	Champagne (22kt Gold)	36 120 670-47
	Chrome	36 120 670-00
	Brushed Platinum	36 120 670-06
	Platinum	36 120 670-08
	Dark Chrome	36 120 670-19
	Brushed Light Gold	36 120 670-27
	Brushed Durabrass (23kt Gold)	36 120 670-28
	Matte Black	36 120 670-33
	Brushed Champagne (22kt Gold)	36 120 670-46
	Brushed Chrome	36 120 670-93
	Brushed Dark Platinum	36 120 670-99


Required miscellaneous

	<b>Concealed single-lever mixer -</b> •max. recess depth 105 mm •min. recess depth 80 mm	35 020 970 90
---	--	---------------


Required miscellaneous

	<b>xGRID Installation track 555 mm -</b>	12 360 970 90
---	--	---------------

Required miscellaneous


	<b>Concealed single-lever mixer with backflow preventor -</b> •max. recess depth 105 mm •min. recess depth 80 mm	35 021 970 90
---	--	---------------

Recommended miscellaneous

	<b>xGRID Attachment set for integrating in the dry wall construction -</b>	12 340 970 90
---	--	---------------

36 120 670 Product version from 2/20/2020

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

### Ü-Zeichen



Concealed single-lever mixer with diverter - Champagne (22kt Gold)

SERIES SPECIFIC

36 120 670 Product version from 2/20/2020

Certificates and sustainability

LGA\_19

WRAS\_2207

