

Bath spout with pop-up waste and overflow - Light Gold

SERIES-VARIOUS

36 247 970 Product version from 3/13/2017



- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

| | | |
|---|--------------------------------|---------------|
|  | Light Gold | 36 247 970-26 |
|  | Chrome | 36 247 970-00 |
|  | Brushed Platinum | 36 247 970-06 |
|  | Platinum | 36 247 970-08 |
|  | Durabronze (23kt Gold) | 36 247 970-09 |
|  | Dark Chrome | 36 247 970-19 |
|  | Brushed Light Gold | 36 247 970-27 |
|  | Brushed Durabronze (23kt Gold) | 36 247 970-28 |
|  | Matte Black | 36 247 970-33 |
|  | Brushed Dark Brass | 36 247 970-39 |
|  | Brushed Bronze | 36 247 970-42 |
|  | Brushed Champagne (22kt Gold) | 36 247 970-46 |
|  | Champagne (22kt Gold) | 36 247 970-47 |
|  | Brushed Chrome | 36 247 970-93 |
|  | Brushed Dark Platinum | 36 247 970-99 |

Required miscellaneous



Bath spout with pop-up waste and overflow - 35 248 970 90
 •bowden cable length 725 mm

Required miscellaneous



Vacuum breaker - 35 150 970 90
 •3/4" connection





Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|--------|---------------|---------------|
| 3 | 04 31 20 031 48-26 | plug | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 1 | 09 11 01 124-26 | cover | 1.00 | 60 |
| 2 | 90 20 97 061 00-26 | handle | 1.00 | 30 |