

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO

36 503 780



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

Fits: IMO, MEM, CL.1, CYO

| | | |
|--|--------------------------------|---------------|
| | Champagne (22kt Gold) | 36 503 780-47 |
| | Chrome | 36 503 780-00 |
| | Brushed Platinum | 36 503 780-06 |
| | Platinum | 36 503 780-08 |
| | Dark Chrome | 36 503 780-19 |
| | Brushed Light Gold | 36 503 780-27 |
| | Brushed Durabronze (23kt Gold) | 36 503 780-28 |
| | Matte Black | 36 503 780-33 |
| | Brushed Champagne (22kt Gold) | 36 503 780-46 |
| | Brushed Chrome | 36 503 780-93 |
| | Brushed Dark Platinum | 36 503 780-99 |

Required miscellaneous




- xTOOL Concealed thermostat module without volume control -** 35 503 970 90
- max. recess depth 155 mm
 - min. recess depth 115 mm

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO

36 503 780
mm [inches]



Flow rate chart



Certificates

WRAS_2011026. DVGW_DW- LGA_29930.
6512DN0706.

xTOOL Concealed thermostat without volume control 3/4" - Champagne (22kt Gold)

IMO

36 503 780

