

MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabron (23kt Gold)

MADISON

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Brushed Durabron (23kt Gold)	36 503 977-28
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Durabron (23kt Gold)	36 503 977-09
	Brushed Dark Platinum	36 503 977-99

Required miscellaneous



xTOOL Concealed thermostat module without volume control - 35 503 970 90
 • max. recess depth 110 mm
 • min. recess depth 85 mm

Recommended miscellaneous



xGRID Attachment set for integrating in the dry wall construction - 12 340 970 90

Required miscellaneous




xGRID Installation track 555 mm - 12 360 970 90




MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronze (23kt Gold)

MADISON

36 503 977
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabrass (23kt Gold)

MADISON

36 503 977
Certificates

LGA_29	LGA_29	DVGW_DW- 6512DN0	WRAS_2011
--------	--------	---------------------	-----------

**MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabronz (23kt Gold)**

MADISON


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021





MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Durabrace (23kt Gold)

MADISON

36 503 977

Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

Product version from 6/30/2022 to 5/11/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2