

ST 030 100 1705



- 200mm projection
  - rectangular spray pattern with 55 individual jets
  - Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
  - height of mixer 125 mm
  - height up to aerator 108 mm
  - 1/2" connection
  - complete hand shower set with anti-scale system
  - hole diameter spout 35 mm
  - hole diameter valve 32 mm
  - rosette for complete hand shower set 60 x 60mm
  - rosette for deck valve 60 x 60mm
  - metal shower hose 2250mm with integrated anti-twist protection
- Intrinsic protection against back flow.**

Individual components of this set

You need the following components for this set

1x 13 612 705-06



1x 20 000 706-06



1x 29 126 705-06



1x 20 000 705-06



1x 27 702 980-06









CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 1705



- 200mm projection
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure
- WRAS 1512010


	Brushed Platinum	13 612 705-0
	Chrome	13 612 705-0
	Dark Chrome	13 612 705-1
	Brushed Champagne (22kt Gold)	13 612 705-4
	Champagne (22kt Gold)	13 612 705-4
	Brushed Dark Platinum	13 612 705-9

ST 030 100 1705


6  
—  
0  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 030 100 1705

mm [inches]



Flow rate chart



Certificates

LGA\_28

WRAS\_1512

IAPMO\_4976

Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen




ST 030 100 1705

Product version from 3/9/2015 to 5/27/2021

**Product version from 5/27/2021**

Parts for other  
finishes can be found  
here: Chrome



ST 030 100 1705

Spare parts list

Product version from 3/9/2015 to 5/27/2021

Product version from 5/27/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 007 00-06	spout	7	10









CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 1705



- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking
- WRAS 2103001


	Brushed Platinum	20 000 705-0
	Chrome	20 000 705-0
	Dark Chrome	20 000 705-1
	Brushed Champagne (22kt Gold)	20 000 705-4
	Champagne (22kt Gold)	20 000 705-4
	Brushed Dark Platinum	20 000 705-9

ST 030 100 1705


6  
—  
0  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 030 100 1705

mm [inches]



### Flow rate chart



### Certificates

IAPMO\_4976

WRAS\_2103

LGA\_28


Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



**Product version from 3/9/2015**

Parts for other  
finishes can be found  
here: [Chrome](#)



ST 030 100 1705

**Spare parts list**

**Product version from 3/9/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 04-06	handle ( cold )	8	10







CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 1705



- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with hot marking
- WRAS 2103001

	Brushed Platinum	20 000 706-0
	Chrome	20 000 706-0
	Dark Chrome	20 000 706-1
	Brushed Champagne (22kt Gold)	20 000 706-4
	Champagne (22kt Gold)	20 000 706-4
	Brushed Dark Platinum	20 000 706-9




ST 030 100 1705


6  
—  
0  
—  
9  
—  
6  
—  
7  
—  
9  
—

ST 030 100 1705

mm [inches]



**Flow rate chart**



**Certificates**

IAPMO\_4976      WRAS\_2103      LGA\_28

Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Scottish Water  
Byelaws


UK Water Supply  
Regulations

Ü-Zeichen



**Product version from 3/9/2015**

Parts for other  
finishes can be found  
here: [Chrome](#)



ST 030 100 1705

**Spare parts list**

**Product version from 3/9/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 05-06	handle ( hot )	8	10

**CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum**

CL.1

ST 030 100 1705



Fits: IMO, MEM, CL.1, CYO

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- WRAS 2209005

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

	Brushed Platinum	27 702 980-0
	Chrome	27 702 980-0
	Platinum	27 702 980-0
	Dark Chrome	27 702 980-1
	Brushed Light Gold	27 702 980-2
	Brushed Durabronze (23kt Gold)	27 702 980-2
	Matte Black	27 702 980-3
	Brushed Champagne (22kt Gold)	27 702 980-4
	Champagne (22kt Gold)	27 702 980-4
	Brushed Chrome	27 702 980-9
	Brushed Dark Platinum	27 702 980-9


ST 030 100 1705

6  
—  
0  
—  
8  
—  
9  
—  
7  
—  
8  
—  
3  
—  
6  
—  
7  
—  
3  
—  
9  
—




ST 030 100 1705

mm [inches]



### Flow rate chart



### Certificates

Belgaqua\_21-383-2 IAPMO\_4976

WRAS\_2209

Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	---------------------------

UK Water Supply  
Regulations




ST 030 100 1705

Product version up to 5/15/2020

**Product version from 5/15/2020**

Parts for other  
finishes can be found  
here: Chrome



ST 030 100 1705

Spare parts list

Product version up to 5/15/2020

Product version from 5/15/2020

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 140 30-06	shower	12	10

ST 030 100 1705




- rotary diverter
  - hole diameter 37 mm
  - rosette 60 x 60 mm
  - 1/2" connection
  - max. flow 23.5 l/min at 3 bar flow pressure
- Not suitable for combining with Perfecto (12 614 970 90).**

Not suitable for combining with Perfecto (12 614 970 90).


Required miscellaneous

	Hose set -	12 509 970 90
-----------------------------------------------------------------------------------	------------	---------------

ST 030 100 1705



**Flow rate chart**



**Certificates**

LGA\_18

IAPMO\_4976




Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
----------------	------	----------	----------

Ü-Zeichen



**Product version from 3/9/2015**



ST 030 100 1705

**Spare parts list**

**Product version from 3/9/2015**

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 052 01-06	handle	21	10