







CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705



- 200mm projection
 - rectangular spray pattern with 55 individual jets
 - Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
 - complete hand shower set with anti-scale system
 - height of mixer 125 mm
 - height up to aerator 108 mm
 - 1/2" connection
 - hole diameter spout 35 mm
 - hole diameter valve 32 mm
 - rosette for complete hand shower set 60 x 60mm
 - rosette for deck valve 60 x 60mm
 - metal shower hose 2250mm with integrated anti-twist protection
- Intrinsic protection against back flow.**

	Brushed Platinum	ST 030 100 2705-06
	Chrome	ST 030 100 2705-00
	Dark Chrome	ST 030 100 2705-19
	Brushed Champagne (22kt Gold)	ST 030 100 2705-46
	Champagne (22kt Gold)	ST 030 100 2705-47
	Brushed Dark Platinum	ST 030 100 2705-99

Individual components of this set

You need the following components for this set

1x 13 612 705-06



1x 20 000 706-06



1x 29 140 670-06



1x 20 000 705-06



1x 27 702 980-06









CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705



- 200mm projection
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure
- WRAS 1512010

	Brushed Platinum	13 612 705-0
	Chrome	13 612 705-0
	Dark Chrome	13 612 705-1
	Brushed Champagne (22kt Gold)	13 612 705-4
	Champagne (22kt Gold)	13 612 705-4
	Brushed Dark Platinum	13 612 705-9



CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum


CL.1

ST 030 100 2705


6
—
0
—
9
—
6
—
7
—
9
—

ST 030 100 2705

mm [inches]



Flow rate chart



Certificates

LGA_28 WRAS_1512 IAPMO_4976

Codes & Standards


ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

ST 030 100 2705

Product version from 3/9/2015 to 5/27/2021

Product version from 5/27/2021

Parts for other
finishes can be found
here: [Chrome](#)



ST 030 100 2705

Spare parts list

Product version from 3/9/2015 to 5/27/2021

Product version from 5/27/2021

No.	Item Number	Name	Quantity used	Delivery time
	90 11 70 007 00-06	spout	7	10







CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705



- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking
- WRAS 2103001


	Brushed Platinum	20 000 705-0
	Chrome	20 000 705-0
	Dark Chrome	20 000 705-1
	Brushed Champagne (22kt Gold)	20 000 705-4
	Champagne (22kt Gold)	20 000 705-4
	Brushed Dark Platinum	20 000 705-9

ST 030 100 2705


6
—
0
—
9
—
6
—
7
—
9
—

ST 030 100 2705

mm [inches]



Flow rate chart



Certificates


IAPMO_4976 WRAS_2103 LGA_28

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

Product version from 3/9/2015

Parts for other
finishes can be found
here: Chrome



ST 030 100 2705

Spare parts list

Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 04-06	handle (cold)	8	10







CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705



- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with hot marking
- WRAS 2103001


	Brushed Platinum	20 000 706-0
	Chrome	20 000 706-0
	Dark Chrome	20 000 706-1
	Brushed Champagne (22kt Gold)	20 000 706-4
	Champagne (22kt Gold)	20 000 706-4
	Brushed Dark Platinum	20 000 706-9

ST 030 100 2705


6
—
0
—
9
—
6
—
7
—
9
—

ST 030 100 2705

mm [inches]



Flow rate chart



Certificates


IAPMO_4976 WRAS_2103 LGA_28

Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

Product version from 3/9/2015

Parts for other
finishes can be found
here: [Chrome](#)





CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705

Spare parts list

Product version from 3/9/2015

No.	Item Number	Name	Quantity used	Delivery time
	90 20 70 051 05-06	handle (hot)	8	10

CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705










Fits: IMO, MEM, CL.1, CYO

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection
- WRAS 2209005

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

	Brushed Platinum	27 702 980-0
	Chrome	27 702 980-0
	Platinum	27 702 980-0
	Dark Chrome	27 702 980-1
	Brushed Light Gold	27 702 980-2
	Brushed Durabrass (23kt Gold)	27 702 980-2
	Matte Black	27 702 980-3
	Brushed Champagne (22kt Gold)	27 702 980-4
	Champagne (22kt Gold)	27 702 980-4
	Brushed Chrome	27 702 980-9
	Brushed Dark Platinum	27 702 980-9



CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum


CL.1

ST 030 100 2705


6
—
0
—
8
—
9
—
7
—
8
—
3
—
6
—
7
—
3
—
9
—

ST 030 100 2705

mm [inches]



Flow rate chart



Certificates

Belgaqua_21-383-2 IAPMO_4976

WRAS_2209



CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705

Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	---------------------------


UK Water Supply
Regulations

ST 030 100 2705

Product version up to 5/15/2020

Product version from 5/15/2020

Parts for other
finishes can be found
here: Chrome



ST 030 100 2705

Spare parts list

Product version up to 5/15/2020

Product version from 5/15/2020

No.	Item Number	Name	Quantity used	Delivery time
	90 12 11 140 30-06	shower	12	10

CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705



Fits: IMO, MEM, CYO

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure
- WRAS 1911025

	Brushed Platinum	29 140 670-0
	Chrome	29 140 670-0
	Platinum	29 140 670-0
	Dark Chrome	29 140 670-1
	Brushed Light Gold	29 140 670-2
	Brushed Durabronze (23kt Gold)	29 140 670-2
	Matte Black	29 140 670-3
	Brushed Champagne (22kt Gold)	29 140 670-4
	Champagne (22kt Gold)	29 140 670-4
	Brushed Chrome	29 140 670-9
	Brushed Dark Platinum	29 140 670-9



CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum


CL.1

ST 030 100 2705


6
—
0
—
8
—
9
—
7
—
8
—
3
—
6
—
7
—
3
—
9
—

ST 030 100 2705

mm [inches]



Flow rate chart



Certificates

LGA_29

IAPMO_4976

WRAS_1911

Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations


Ü-Zeichen

ST 030 100 2705

Product version up to 6/30/2015

Product version from 6/30/2015

Parts for other finishes can be found here: [Chrome](#)





CL.1 Five-hole bath mixer for deck mounting with diverter - Brushed Platinum

CL.1

ST 030 100 2705

Spare parts list

Product version up to 6/30/2015

Product version from 6/30/2015

No.	Item Number	Name	Quantity used	Delivery time
	09 20 71 003-06	handle	10	10