TARA Bath spout for wall mounting - Platinum

13 801 892 Product version from 4/1/2024

- 200mm projection
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure
- WRAS

Platinum	13 801 892-08
Chrome	13 801 892-00
Brushed Platinum	13 801 892-06
Dark Chrome	13 801 892-19
Brushed Durabrass (23kt Gold)	13 801 892-28
Matte Black	13 801 892-33
Brushed Bronze	13 801 892-42
Brushed Champagne (22kt Gold)	13 801 892-46
Champagne (22kt Gold)	13 801 892-47
Brushed Chrome	13 801 892-93
Brushed Dark Platinum	13 801 892-99

Recommended miscellaneous

Concealed wall elbow - 35 085 970 90
- max. recess depth mm
- min. recess depth mm

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com

TARA Bath spout for wall mounting - Platinum

13 801 892 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	DIN 4109	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	

TARA Bath spout for wall mounting - Platinum

13 801 892 Product version from 4/1/2024

Certificates

LGA_18 IAPMO_4976 WRAS_1811 WRAS_240602

TARA Bath spout for wall mounting - Platinum

13 801 892 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 27 89 009-08	rosette	1	40
2	90 14 10 025 00 90	seal	2	2
3	04 28 22 198 20-08	spout	1	40
4	90 23 01 024 00-08	aerator	1	-

Spare part can no longer be ordered, please order the replacement item

We reserve the right to change designs, product range and technical specifications without prior notice.
More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com