

## ELIO HOT & COLD WATER DISPENSER - Chrome

#### 17 861 790



- 142mm projection
- rigid, thermally insulated spout
- laminar flow
- height of mixer 248 mm • height up to laminar flow regulator 226 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- · provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (137mn x 159mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl
- country-specific adapter set lead-free
- Spout ring cannot be removed.
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

In addition, the installation must be above a kitchen sink.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance. Detailed planning information and technical data can be found at www.dornbracht.com/professional

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

In addition, the installation must be above a kitchen sink.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

Detailed planning information and technical data can be found at www.dornbracht.com/professional

#### Required miscellaneous



Hot water tank incl. filter -


12 892 970 90

	Chrome	17 861 790-00
	Brushed Platinum	17 861 790-06
	Platinum	17 861 790-08
	Dark Chrome	17 861 790-19
m	Brushed Durabrass (23kt Gold)	17 861 790-28
cl.	Brushed Champagne (22kt Gold)	17 861 790-46
	Champagne (22kt Gold)	17 861 790-47
'	Brushed Chrome	17 861 790-93
	Brushed Dark Platinum	17 861 790-99




# ELIO HOT & COLD WATER DISPENSER - Chrome

#### 17 861 790



## Flow rate chart



### Certificates

IAPMO\_4976 (5).

IAPMO\_N-4976.


LGA\_28297.

IAPMO\_6397.



# ELIO HOT & COLD WATER DISPENSER - Chrome

17 861 790



# Spare parts list

Item Number	Name	Quantity used	Delivery time
90 17 85 100 04-00	fitting	1	10
90 30 04 067 00 90	hose	1	2
90 10 01 048 00 90	electronic accessories	1	2
04 10 01 246 00 90	electronic accessories	1	2
12 866 970 90	adaptor	1	2
90 11 11 064 01 90	electronic accessories	1	2
90 24 04 291 00 90	insert	1	2
09 24 04 293 90	nipple	1	2
09 16 01 045 90	ring	1	2
	90 17 85 100 04-00     90 30 04 067 00 90     90 10 01 048 00 90     04 10 01 246 00 90     12 866 970 90     90 11 11 064 01 90     90 24 04 291 00 90     09 24 04 293 90	90 17 85 100 04-00 fitting   90 30 04 067 00 90 hose   90 10 01 048 00 90 electronic accessories   04 10 01 246 00 90 electronic accessories   12 866 970 90 adaptor   90 11 11 064 01 90 electronic accessories   90 24 04 291 00 90 insert   09 24 04 293 90 nipple	90 17 85 100 04-00   fitting   1     90 30 04 067 00 90   hose   1     90 10 01 048 00 90   electronic accessories   1     04 10 01 246 00 90   electronic accessories   1     12 866 970 90   adaptor   1     90 11 11 064 01 90   electronic accessories   1     90 24 04 291 00 90   insert   1     09 24 04 293 90   nipple   1