





Shower set - Chrome

SERIES SPECIFIC

26 413 832 Product version from 1/1/2023




- COMPACT RAIN, max. flow rate l/min (at 3 bar)
- gauge 860 mm
- shower hose connector 1/2"
- Plastic hose, 1750 mm, with integrated anti-twist protection
- slide bar
- inherently safe from back flow
- WRAS

| | | |
|---|------------|--------------------|
|  | Chrome | 26 413 832-00 |
|  | Chrome | 26 413 832-00 0010 |
|  | Soft Black | 26 413 832-69 |
|  | Soft Black | 26 413 832-69 0010 |

26 413 832 Product version from 1/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Shower set - Chrome

SERIES SPECIFIC


26 413 832 Product version from 1/1/2023

Certificates and sustainability

WRAS_2212 LGA_29

26 413 832 Product version from 1/1/2023

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------|---------------|---------------|
| 2 | 90 30 03 008 00-00 | hose | 1.00 | 2 |
| 1 | 90 12 11 183 00-00 | shower | 1.00 | 2 |
| 3 | 90 30 12 510 00-00 | slider | 1.00 | 2 |