

Wall elbow - Light Gold

TARA













28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits: TARA, META

| | | |
|---|-------------------------------------|---------------|
|  | Light Gold | 28 450 625-26 |
|  | Chrome | 28 450 625-00 |
|  | Brushed Platinum | 28 450 625-06 |
|  | Platinum | 28 450 625-08 |
|  | Dark Chrome | 28 450 625-19 |
|  | Brushed Light Gold | 28 450 625-27 |
|  | Brushed Durabronze (23kt Gold) | 28 450 625-28 |
|  | Matte Black | 28 450 625-33 |
|  | Brushed Bronze | 28 450 625-42 |
|  | Brushed Champagne (22kt Gold) | 28 450 625-46 |
|  | Champagne (22kt Gold) | 28 450 625-47 |
|  | Brushed Chrome | 28 450 625-93 |
|  | Brushed Dark Platinum | 28 450 625-99 |


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- min. recess depth 90 mm
 - max. recess depth 163 mm




28 450 625


mm [inches]



Flow rate chart



28 450 625



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1 | 90 14 10 026 00 90 | seal | 1 | 2 |
| 2 | 09 27 22 503-26 | rosette | 1 | 60 |
| 3 | 09 16 01 014 90 | ring | 1 | 2 |
| 4 | 90 23 01 141 00 90 | back-flow preventer | 2 | 2 |
| 5 | 09 11 03 036-26 | connection | 1 | 60 |
| 6 | 90 21 02 069 00-26 | cover | 1 | 30 |