

Wall elbow - Brushed Dark Platinum

TARA














28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits: TARA, META

	Brushed Dark Platinum	28 450 625-99
	Chrome	28 450 625-00
	Brushed Platinum	28 450 625-06
	Platinum	28 450 625-08
	Dark Chrome	28 450 625-19
	Light Gold	28 450 625-26
	Brushed Light Gold	28 450 625-27
	Brushed Durabronze (23kt Gold)	28 450 625-28
	Matte Black	28 450 625-33
	Brushed Bronze	28 450 625-42
	Brushed Champagne (22kt Gold)	28 450 625-46
	Champagne (22kt Gold)	28 450 625-47
	Brushed Chrome	28 450 625-93

Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm



28 450 625

mm [inches]




Flow rate chart



Certificates

WRAS_1811023. Belgaqua_21-381- ACS_20 ACC LY 739. IAPMO_4976 (4).
27_7.

28 450 625



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 14 10 026 00 90	seal	1	2
2	09 27 22 503-99	rosette	1	30
3	09 16 01 014 90	ring	1	2
4	90 23 01 141 00 90	back-flow preventer	2	2
5	09 11 03 036-99	connection	1	30
6	90 21 02 069 00-99	cover	1	30