

28 450 809



- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

|   |                                |               |
|---|--------------------------------|---------------|
|  | Brushed Durabronze (23kt Gold) | 28 450 809-28 |
|  | Chrome                         | 28 450 809-00 |
|  | Brushed Platinum               | 28 450 809-06 |
|  | Platinum                       | 28 450 809-08 |
|  | Dark Chrome                    | 28 450 809-19 |
|  | Brushed Bronze                 | 28 450 809-42 |
|  | Brushed Champagne (22kt Gold)  | 28 450 809-46 |
|  | Champagne (22kt Gold)          | 28 450 809-47 |
|  | Brushed Dark Platinum          | 28 450 809-99 |

Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm



28 450 809

mm [inches]




Flow rate chart



Certificates

WRAS\_1810006. Belgaqua\_22\_280\_2  
7\_7.

28 450 809



### Spare parts list

| No. | Item Number        | Name                | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 1   | 90 27 80 021 00-28 | rosette             | 1             | 20            |
| 2   | 09 16 01 014 90    | ring                | 1             | 2             |
| 3   | 90 23 01 040 00 90 | back-flow preventer | 2             | 2             |
| 4   | 09 11 03 123-28    | connection          | 1             | 20            |
| 5   | 90 21 02 069 00-28 | cover               | 1             | 20            |