



Rain shower with wall fixing FlowReduce 400 mm - Brushed Light Gold

28 658 970



Fits: TARA, LISSÉ, VAIA, META

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


To be provided by the customer. Zigbee Gateway!

Brushed Light Gold	28 658 970-27
Chrome	28 658 970-00
Brushed Platinum	28 658 970-06
Platinum	28 658 970-08
Dark Chrome	28 658 970-19
Light Gold	28 658 970-26
Brushed Durabrass (23kt Gold)	28 658 970-28
Matte Black	28 658 970-33
Brushed Bronze	28 658 970-42
Brushed Champagne (22kt Gold)	28 658 970-46
Champagne (22kt Gold)	28 658 970-47
Brushed Chrome	28 658 970-93
Brushed Dark Platinum	28 658 970-99




Rain shower with wall fixing FlowReduce 400 mm - Brushed Light Gold

28 658 970



Flow rate chart



Certificates

LGA_38661.



Rain shower with wall fixing FlowReduce 400 mm - Brushed Light Gold

28 658 970

Parts for other finishes can be found here: Chrome

