







IMO Single-lever shower mixer for wall mounting - Brushed Light Gold

33 301 670 Product version from 4/1/2024



- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm


Intrinsic protection against back flow.

	Brushed Light Gold	33 301 670-27
	Chrome	33 301 670-00
	Brushed Platinum	33 301 670-06
	Dark Chrome	33 301 670-19
	Matte Black	33 301 670-33
	Brushed Chrome	33 301 670-93


IMO Single-lever shower mixer for wall mounting - Brushed Light Gold

33 301 670 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



IMO Single-lever shower mixer for wall mounting - Brushed Light Gold

33 301 670 Product version from 4/1/2024


Certificates

LGA_9

IMO Single-lever shower mixer for wall mounting - Brushed Light Gold

33 301 670 Product version from 4/1/2024

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 20 67 004-27	handle	1	60
2	09 24 04 107-27	nut	1	60
3	90 31 11 030 00 90	pin	1	2
4	90 31 20 109 00 90	plug	1	2
5	90 15 05 046 00 90	cartridge	1	2
6	04 11 04 030 00 90	connection	1	2
7	09 27 62 004-27	rosette	1	60
8	09 14 10 119 90	seal	1	2
9	09 29 05 005 20-27	nipple	1	-
Spare part can no longer be ordered, please order the replacement item				
10	09 14 10 008 90	seal	1	2
11	09 23 10 048-27	nut	1	60
12	09 18 40 059-27	sleeve	1	60
13	90 23 01 141 00 90	back-flow preventer	1	2
14	90 14 10 032 00 90	seal	1	2
15	09 24 03 115 20-27	nipple	1	60
16	90 21 02 069 00-27	cover	1	30