

MADISON

34 459 360



- shower with fixed riser projection 420mm
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 8 I/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm 13 mm
- metal shower hose 1250mm with integrated antitwist protection
- 1/2" connection
- Pipe diameter 20 mm


This article does not include a hand shower!

Intrinsic protection against back flow.


NOTE:The handles must be ordered separately from the fittings!

| Brushed Bronze                   | 34 459 360-42 0050 |
|----------------------------------|--------------------|
| Chrome                           | 34 459 360-00      |
| Brushed Platinum                 | 34 459 360-06      |
| Platinum                         | 34 459 360-08      |
| Durabrass (23kt<br>Gold)         | 34 459 360-09      |
| Brushed Durabrass<br>(23kt Gold) | 34 459 360-28      |
|                                  | 34 459 360-39      |
| Brushed Bronze                   | 34 459 360-42      |
|                                  | 34 459 360-43      |
| Brushed Dark<br>Platinum         | 34 459 360-99      |





#### Flow rate chart



#### Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



MADISON

34 459 360

Certificates


LGA\_38





34 459 360

Parts for other finishes can be found here: Chrome





MADISON

34 459 360

#### **Spare parts list**