

Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Chrome

TARA

36 045 660



- cover plate Ø 78 mm
- WRAS 2101023














Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

Intrinsic protection against back flow.

Article cannot be extended, please check the depth of the installation location!

Fits: TARA, META

	Brushed Chrome	36 045 660-93
	Chrome	36 045 660-00
	Brushed Platinum	36 045 660-06
	Platinum	36 045 660-08
	Dark Chrome	36 045 660-19
	Light Gold	36 045 660-26
	Brushed Light Gold	36 045 660-27
	Brushed Durabronze (23kt Gold)	36 045 660-28
	Matte Black	36 045 660-33
	Brushed Bronze	36 045 660-42
	Brushed Champagne (22kt Gold)	36 045 660-46
	Champagne (22kt Gold)	36 045 660-47
	Brushed Dark Platinum	36 045 660-99

Required miscellaneous


- Concealed wall mounting -** 35 003 970 90
 - max. recess depth 103 mm
 - min. recess depth 78 mm




Concealed single-lever mixer with cover plate with integrated shower connection - Brushed Chrome

TARA

36 045 660
mm [inches]




Flow rate chart



Certificates

Belgaqua_21-025- 27_1. LGA_29569. WRAS_2101023.

36 045 660



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 24 77 002 90	nut	1	2
2	90 31 11 030 00 90	pin	3	2
3	09 14 10 139 90	seal	1	2
4	09 14 10 111 90	seal	2	2
5	09 18 40 215-93	sleeve	1	20
6	09 14 10 518 90	seal	1	60
7	09 27 66 000-93	rosette	1	20
8	90 15 05 044 00 90	cartridge	1	2
9	09 24 04 266 90	nut	1	2
10	09 14 10 120 90	seal	1	2
11	09 28 30 041-93	cover	1	20
12	90 20 66 006 00-93	handle	1	20
13	09 31 11 144 90	pin	1	2
14	09 23 01 131 90	back-flow preventer	1	2
15	09 14 10 213 90	seal	1	2
16	09 24 03 281-93	nipple	1	20
17	90 21 02 069 00-93	cover	1	-

Spare part can no longer be ordered, please order the replacement item