







MADISON Concealed two-way diverter - Platinum

MADISON

36 200 361    Product version from 4/1/2022



- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert
- WRAS

	Platinum	36 200 361-08
	Chrome	36 200 361-00
	Brushed Platinum	36 200 361-06
	Durabrass (23kt Gold)	36 200 361-09
	Brushed Durabrass (23kt Gold)	36 200 361-28
	Brushed Dark Platinum	36 200 361-99


Required miscellaneous




- |                                     |               |
|-------------------------------------|---------------|
| <b>Concealed two-way diverter -</b> | 35 202 970 90 |
| •min. recess depth 85 mm            |               |
| •max. recess depth 155 mm           |               |

36 200 361 Product version from 4/1/2022

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
----------	----------	---------------------------	--------------------------------

Ü-Zeichen



## MADISON Concealed two-way diverter - Platinum

MADISON

36 200 361 Product version from 4/1/2022

Certificates and sustainability

LGA\_38

WRAS\_2307



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
4	09 27 36 105-08	rosette	1.00	60
6	09 30 11 194 90	disc	1.00	2
1	90 90 03 304 10 90	diverter	1.00	2
7	09 18 30 007-08	sleeve	1.00	60
2	09 23 10 125-00	nut	1.00	10
11	09 21 02 161-08	cover	1.00	40
9	09 12 12 064-08	base	1.00	60
13	09 20 36 005-08	handle	1.00	40
14	09 26 01 016 90	accessories	1.00	2
12	04 20 36 100 02-08	handle	1.00	40
10	90 14 15 021 00 90	ring	1.00	2
5	90 30 30 075 00 90	screw	1.00	2
3	90 14 10 063 00 90	seal	1.00	2
8	90 28 10 030 00 90	ring	1.00	2