

**xTOOL Concealed thermostat without volume control 1/2" - Champagne (22kt Gold)**

IMO

36 501 985



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits: IMO, MEM, CL.1, CYO

|  |                                |               |
|--|--------------------------------|---------------|
|  | Champagne (22kt Gold)          | 36 501 985-47 |
|  | Chrome                         | 36 501 985-00 |
|  | Brushed Platinum               | 36 501 985-06 |
|  | Platinum                       | 36 501 985-08 |
|  | Dark Chrome                    | 36 501 985-19 |
|  | Brushed Light Gold             | 36 501 985-27 |
|  | Brushed Durabronze (23kt Gold) | 36 501 985-28 |
|  | Matte Black                    | 36 501 985-33 |
|  | Brushed Champagne (22kt Gold)  | 36 501 985-46 |
|  | Brushed Chrome                 | 36 501 985-93 |
|  | Brushed Dark Platinum          | 36 501 985-99 |

**Required miscellaneous**



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90  
 •min. recess depth 95 mm  
 •max. recess depth 160 mm

**Recommended miscellaneous**




**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

**Required miscellaneous**



**xGRID Installation track 555 mm -** 12 360 970 90

36 501 985  
mm [inches]



Certificates

WRAS\_2011026.

DVGW\_DW-  
6512DN0706.

LGA\_29930.

36 501 985

