

MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

MADISON

36 503 977

Product version up to 1/1/2022

● cover plate Ø 124 mm

● temperature control handle with safety limit stop at 38°C

● thermostat cartridge

● WRAS

Brushed Platinum

36 503 977-06

Chrome

36 503 977-00

Platinum

36 503 977-08

Durabrand (23kt Gold)

36 503 977-09

Brushed Durabrand (23kt Gold)

36 503 977-28

Brushed Dark Platinum

36 503 977-99

Required miscellaneous

xTOOL Concealed thermostat module without volume control -

●max. recess depth 110 mm

●min. recess depth 85 mm

35 503 970 90

Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

Required miscellaneous

xGRID Installation track 555 mm -

12 360 970 90

We reserve the right to change designs, product range and technical specifications without prior notice.

More information can be found at: www.dornbracht.com +49 (0) 2371 8899 900 mail@dornbracht.com


1/4

4/4/2025

MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Platinum

MADISON

36 503 977 Product version up to 1/1/2022
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen




MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed
Platinum

MADISON

36 503 977 Product version up to 1/1/2022

Certificates and sustainability

WRAS_2011	DVGW_DW- 6512DN0	LGA_29	LGA_29
-----------	---------------------	--------	--------



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	2 90 11 01 196 00 90	base	1.00	2
	3 09 11 02 543-06	cover	1.00	10
	4 09 31 11 048 90	pin	1.00	2
	7 90 17 33 005 01-06	handle	1.00	10
	6 90 21 02 112 00-06	sleeve	1.00	10
	5 90 14 10 049 00 90	seal	1.00	2
	1 90 15 02 063 00 90	cartridge	1.00	2