



# MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronz (23kt Gold)

MADISON

36 503 977



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS 2011026

	Brushed Durabronz (23kt Gold)	36 503 977-28
	Chrome	36 503 977-00
	Brushed Platinum	36 503 977-06
	Platinum	36 503 977-08
	Durabronz (23kt Gold)	36 503 977-09
	Brushed Dark Platinum	36 503 977-99

## Required miscellaneous



**xTOOL Concealed thermostat module without volume control -** 35 503 970 90

- max. recess depth 110 mm
- min. recess depth 85 mm

## Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

## Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90



# MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabross (23kt Gold)

MADISON

36 503 977  
mm [inches]



## Codes & Standards

DIN 4109	EN 1111	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

## Certificates

LGA_29	LGA_29	DVGW_DW-6512DN0	WRAS_2011
--------	--------	-----------------	-----------



# MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed Durabronz (23kt Gold)

MADISON


36 503 977

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

**Product version from 6/30/2022 to 5/11/2021**





MADISON xTOOL Concealed thermostat without volume control 3/4" - Brushed  
Durabross (23kt Gold)

---

MADISON

36 503 977

Spare parts list

Product version up to 2/2/2021

Product version from 5/11/2021 to 11/25/2021

Product version from 1/1/2022

**Product version from 6/30/2022 to 5/11/2021**

No.	Item Number	Name	Quantity used	Delivery time
	90 15 02 063 00 90	cartridge	10	2

---