

MEM Wall valve clockwise closing 1/2" - Dark Chrome

MEM

36 607 782



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

| | | |
|---|-------------------------------------|---------------|
|  | Dark Chrome | 36 607 782-19 |
|  | Chrome | 36 607 782-00 |
|  | Brushed Platinum | 36 607 782-06 |
|  | Platinum | 36 607 782-08 |
|  | Brushed Durabronze (23kt Gold) | 36 607 782-28 |
|  | Brushed Champagne (22kt Gold) | 36 607 782-46 |
|  | Champagne (22kt Gold) | 36 607 782-47 |
|  | Brushed Chrome | 36 607 782-93 |
|  | Brushed Dark Platinum | 36 607 782-99 |



Required miscellaneous



- Wall valve 1/2" -** 35 607 970 90
- max. recess depth mm
 - min. recess depth mm

36 607 782

mm [inches]



Codes & Standards

DIN 4109

EN 1111

EN 200

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen

Certificates

DVGW_DW-
6501DN0

WRAS_2011

LGA_29

WRAS_2010

DVGW_DW-
6512DN0

36 607 782

