







SYMETRICS Wall valve anti-clockwise closing 3/4" - Brushed Durabronss (23kt Gold)

SYMETRICS

36 608 985    Product version from 6/1/2024



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|  | Brushed Durabronss (23kt Gold) | 36 608 985-28 |
|  | Chrome                         | 36 608 985-00 |
|  | Brushed Platinum               | 36 608 985-06 |
|  | Platinum                       | 36 608 985-08 |
|  | Dark Chrome                    | 36 608 985-19 |
|  | Brushed Light Gold             | 36 608 985-27 |
|  | Matte Black                    | 36 608 985-33 |
|  | Brushed Chrome                 | 36 608 985-93 |
|  | Brushed Dark Platinum          | 36 608 985-99 |

Required miscellaneous




- Wall valve 3/4" -35 608 970 90
- max. recess depth 145 mm
  - min. recess depth 75 mm



SYMETRICS Wall valve anti-clockwise closing 3/4" - Brushed Durabronss (23kt Gold)

SYMETRICS

36 608 985 Product version from 6/1/2024  
mm [inches]




Codes & Standards

|                           |                                |
|---------------------------|--------------------------------|
| Scottish Water<br>Byelaws | UK Water Supply<br>Regulations |
|---------------------------|--------------------------------|

Certificates and sustainability

WRAS\_2010



Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 8   | 90 90 03 128 00 90 | top        | 1.00          | 2             |
| 6   | 09 27 98 014-28    | rosette    | 1.00          | 20            |
| 2   | 09 12 12 005 90    | fixing cap | 1.00          | 2             |
| 1   | 09 20 98 002-28    | handle     | 1.00          | 20            |
| 7   | 09 21 02 151 90    | sleeve     | 1.00          | 2             |
| 4   | 09 14 10 017 90    | seal       | 1.00          | 2             |
| 3   | 09 12 12 043-28    | base       | 1.00          | 20            |
| 5   | 90 31 11 004 00 90 | pin        | 1.00          | 2             |