

EDITION PRO

Wall-mounted single-lever basin mixer without pop-up waste -




Brushed Chrome

EDITION PRO

36 810 626



- 170mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 7 l/min
- lead-free
- WRAS

	Brushed Chrome	36 810 626-93
	Chrome	36 810 626-00
	Matte Black	36 810 626-33

Required miscellaneous



SERIES SPECIFIC Concealed wall-


mounted single-lever mixer mixer

on right -


35 870 970 90

- max. recess depth 95 mm
- min. recess depth 80 mm

36 810 626
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



EDITION PRO Wall-mounted single-lever basin mixer without pop-up waste - Brushed Chrome

EDITION PRO

36 810 626

Certificates and sustainability

WRAS_2107

LGA_9



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
5	90 20 62 040 00-93	handle	1.00	20
4	90 23 01 019 00-93	aerator	1.00	20
6	09 11 02 522-93	cover	1.00	60
2	09 27 22 503-93	rosette	1.00	20
3	04 28 22 115 10-93	spout	1.00	20
1	90 14 10 026 00 90	seal	1.00	2
7	90 27 62 011 00-93	rosette	1.00	20
9	90 15 05 064 01 90	cartridge	1.00	2
8	09 24 04 105 90	nut	1.00	2