

AQUAMOON EMBRACE Rain panel with color light - Matte White

41 630 979



- exposed trim parts
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- Embrace: rounded cascade, max. 60 l/min
- RGBW LED ambient lighting
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied
- Output 12V DC SELV / Class II
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Not suitable for use in a steam room.

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Required miscellaneous




- | | |
|---|----------------------|
| <p>AQUAMOON EMBRACE
Concealed ceiling installation box
with color light -</p> <ul style="list-style-type: none"> ● Ceiling installation enclosure 1356 x 1356 x 290 mm ● concealed rough parts ● Opening diameter 1252 mm ● min. recess depth 290 mm | <p>35 630 970 90</p> |
|---|----------------------|



AQUAMOON EMBRACE Rain panel with color light - Matte White

41 630 979

mm [inches]



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

Certificates

LGA_38



AQUAMOON EMBRACE Rain panel with color light - Matte White

41 630 979



AQUAMOON EMBRACE Rain panel with color light - Matte White

41 630 979

Spare parts list