

















WATER FALL Cascade spout with individual jets for wall mounting - Brushed Bronze


SERIES-VARIOUS

13 425 979	Product version from 10/1/2023		
	<ul style="list-style-type: none"> PEARLSTREAM Max. flow rate 9.5 l/min (at 3 bar) Function from: l/min 		
	<div> <div>  </div> <div> Technical data: <ul style="list-style-type: none"> plate 240 mm x 60 mm 22mm projection connection 1/2", for shortening plug-link mounting </div> </div>		
		<div> <div>  </div> <div> Brushed Bronze </div> <div>13 425 979-42</div> </div>	
		<div> <div>  </div> <div> Chrome </div> <div>13 425 979-00</div> </div>	
		<div> <div>  </div> <div> Brushed Platinum </div> <div>13 425 979-06</div> </div>	
		<div> <div>  </div> <div> Platinum </div> <div>13 425 979-08</div> </div>	
		<div> <div>  </div> <div> Dark Chrome </div> <div>13 425 979-19</div> </div>	
		<div> <div>  </div> <div> Light Gold </div> <div>13 425 979-26</div> </div>	
		<div> <div>  </div> <div> Brushed Light Gold </div> <div>13 425 979-27</div> </div>	
		<div> <div>  </div> <div> Brushed Durabrass (23kt Gold) </div> <div>13 425 979-28</div> </div>	
		<div> <div>  </div> <div> Matte Black </div> <div>13 425 979-33</div> </div>	
		<div> <div>  </div> <div> Brushed Dark Brass </div> <div>13 425 979-39</div> </div>	
		<div> <div>  </div> <div> Brushed Champagne (22kt Gold) </div> <div>13 425 979-46</div> </div>	
		<div> <div>  </div> <div> Champagne (22kt Gold) </div> <div>13 425 979-47</div> </div>	
		<div> <div>  </div> <div> Brushed Chrome </div> <div>13 425 979-93</div> </div>	
		<div> <div>  </div> <div> Brushed Dark Platinum </div> <div>13 425 979-99</div> </div>	

Recommended miscellaneous

	<div> <div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> min. recess depth 90 mm max. recess depth 163 mm </div> </div>	35 085 970 90
--	--	---------------


Recommended miscellaneous

	<div> <div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> min. recess depth 90 mm max. recess depth 163 mm </div> </div>	35 085 970 90
--	--	---------------


WATER FALL Cascade spout with individual jets for wall mounting - Brushed Bronze

SERIES-VARIOUS


13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Bronze SERIES-VARIOUS

13 425 979 Product version from 10/1/2023

Certificates and sustainability


LGA_19

IAPMO_4976

WATER FALL Cascade spout with individual jets for wall mounting - Brushed Bronze

SERIES-VARIOUS

13 425 979 Product version from 10/1/2023



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
7	09 17 01 185 20-42	spout	1.00	60
8	90 29 03 071 00 90	insert	1.00	2
1	04 30 31 024 01 90	fixing set	1.00	2
5	90 31 20 087 00-42	plug	1.00	30
2	09 14 05 009 90	seal	1.00	2
6	09 31 11 144 90	pin	2.00	2
4	90 24 03 199 00 90	connection	1.00	2
3	09 17 97 053 90	holder	1.00	2