

MADISON Wall elbow - Chrome













MADISON

28 450 370



- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection
- WRAS 240502026

Intrinsic protection against back flow.

	Chrome	28 450 370-00
	Chrome	28 450 370-00 0010
	Brushed Platinum	28 450 370-06
	Brushed Platinum	28 450 370-06 0010
	Platinum	28 450 370-08
	Platinum	28 450 370-08 0010
	Durabrand (23kt Gold)	28 450 370-09
	Durabrand (23kt Gold)	28 450 370-09 0010
	Brushed Durabrand (23kt Gold)	28 450 370-28
	Brushed Durabrand (23kt Gold)	28 450 370-28 0010
	Brushed Dark Platinum	28 450 370-99
	Brushed Dark Platinum	28 450 370-99 0010

Recommended miscellaneous


- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
  - min. recess depth 90 mm



28 450 370



Flow rate chart



Codes & Standards

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## MADISON Wall elbow - Chrome

MADISON

28 450 370

### Certificates

Belgaqua\_21-381-2 WRAS\_240502

Product version up to 7/6/2018

**Product version from 7/6/2018**





MADISON Wall elbow - Chrome

MADISON

28 450 370

Spare parts list

Product version up to 7/6/2018

**Product version from 7/6/2018**

No.	Item Number	Name	Quantity used	Delivery time
	09 27 37 003-00	rosette	4	10