

Wall elbow - Chrome

TARA

28 450 625



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS 1811023

Intrinsic protection against back flow.

Fits: TARA, META

| | | |
|--|--------------------------------|---------------|
| | Chrome | 28 450 625-00 |
| | Brushed Platinum | 28 450 625-06 |
| | Platinum | 28 450 625-08 |
| | Dark Chrome | 28 450 625-19 |
| | Light Gold | 28 450 625-26 |
| | Brushed Light Gold | 28 450 625-27 |
| | Brushed Durabronze (23kt Gold) | 28 450 625-28 |
| | Matte Black | 28 450 625-33 |
| | Brushed Bronze | 28 450 625-42 |
| | Brushed Champagne (22kt Gold) | 28 450 625-46 |
| | Champagne (22kt Gold) | 28 450 625-47 |
| | Brushed Chrome | 28 450 625-93 |
| | Brushed Dark Platinum | 28 450 625-99 |

Recommended miscellaneous



Concealed wall elbow -

35 085 970 90


- max. recess depth 163 mm
- min. recess depth 90 mm

Wall elbow - Chrome

TARA

28 450 625

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|-------------|---------|------------------------|
| ASME A112.18.1 | cUPC | EN 1717 | Scottish Water Byelaws |
| UK Water Supply Regulations | XP P 41-280 | | |



Wall elbow - Chrome

TARA

28 450 625

Certificates

ACS_20 ACC LY

Belgaqua_21-381-2 IAPMO_4976

WRAS_1811

28 450 625

Product version up to 7/6/2018

Product version from 7/6/2018





Wall elbow - Chrome

TARA

28 450 625

Spare parts list

Product version up to 7/6/2018

Product version from 7/6/2018

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
| | 90 14 10 026 00 90 | seal | 7 | 2 |