

LULU Wall elbow - Chrome



LULU

28 450 710



- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection
- WRAS 2310091

Intrinsic protection against back flow.

	Chrome	28 450 710-00
	Brushed Platinum	28 450 710-06

Recommended miscellaneous



- Concealed wall elbow -



•max. recess depth 163 mm

•min. recess depth 90 mm


35 085 970 90

28 450 710

mm [inches]



### Flow rate chart



### Codes & Standards

ASME A112.18.1

cUPC

EN 1717

Scottish Water  
Byelaws

UK Water Supply  
Regulations



## LULU Wall elbow - Chrome

LULU

28 450 710

### Certificates

Belgaqua\_21-381-2 IAPMO\_4976

WRAS\_1807


WRAS\_2310

28 450 710

Product version up to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

**Product version from 3/2/2021**





## LULU Wall elbow - Chrome

LULU

28 450 710

### Spare parts list

Product version up to 7/6/2018

Product version from 7/6/2018 to 3/2/2021

#### **Product version from 3/2/2021**

No.	Item Number	Name	Quantity used	Delivery time
	09 16 01 014 90	ring	13	2