

VAIA Wall elbow - Chrome

VAIA

28 450 809

Product version from 3/13/2017 to 7/6/2018




- 3/8" shower outlet
 - rosette Ø 60 mm
 - 1/2" connection
 - WRAS

Intrinsic protection against back flow.

	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Dark Chrome	28 450 809-19
	Brushed Durabronze (23kt Gold)	28 450 809-28
	Brushed Dark Brass	28 450 809-39
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99

Recommended miscellaneous

	<div> <div>Concealed wall elbow -</div> <ul style="list-style-type: none"> •max. recess depth 163 mm •min. recess depth 90 mm </div>	35 085 970 90
---	--	---------------

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
----------------	------	---------	------------------------

UK Water Supply Regulations



VAIA Wall elbow - Chrome

VAIA

28 450 809 Product version from 3/13/2017 to 7/6/2018

Certificates and sustainability

Belgaqua_22_280_2 IAPMO_4976

WRAS_240702



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 23 01 040 00 90	back-flow preventer	2.00	2
4	09 11 03 123-00	connection	1.00	10
2	09 16 01 014 90	ring	1.00	2
1	90 27 80 021 00-00	rosette	1.00	10
5	90 21 02 069 00-00	cover	1.00	10