

VAIA Wall elbow - Dark Chrome
VAIA

28 450 809
Product version from 7/6/2018



- 3/8" shower outlet
 - rosette Ø 60 mm
 - 1/2" connection
 - WRAS

Intrinsic protection against back flow.

	Dark Chrome	28 450 809-19
	Chrome	28 450 809-00
	Brushed Platinum	28 450 809-06
	Platinum	28 450 809-08
	Brushed Durabronze (23kt Gold)	28 450 809-28
	Brushed Dark Brass	28 450 809-39
	Brushed Bronze	28 450 809-42
	Brushed Champagne (22kt Gold)	28 450 809-46
	Champagne (22kt Gold)	28 450 809-47
	Brushed Dark Platinum	28 450 809-99


Recommended miscellaneous




- Concealed wall elbow -**
35 085 970 90

 - max. recess depth 163 mm
 - min. recess depth 90 mm

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations



VAIA Wall elbow - Dark Chrome

VAIA

28 450 809 Product version from 7/6/2018

Certificates and sustainability

Belgaqua_22_280_2 IAPMO_4976

WRAS_240702

