


# Wall elbow with integrated shower holder - Platinum

IMO

28 490 970



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS 1912049

Intrinsic protection against back flow.

Fits: IMO, MEM, CL.1, CYO

	Platinum	28 490 970-08
	Chrome	28 490 970-00
	Brushed Platinum	28 490 970-06
	Dark Chrome	28 490 970-19
	Brushed Light Gold	28 490 970-27
	Brushed Durabass (23kt Gold)	28 490 970-28
	Matte Black	28 490 970-33
	Brushed Champagne (22kt Gold)	28 490 970-46
	Champagne (22kt Gold)	28 490 970-47
	Brushed Chrome	28 490 970-93
	Brushed Dark Platinum	28 490 970-99

## Recommended miscellaneous



- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm

35 085 970 90

## Recommended miscellaneous



- Concealed wall elbow -**
- max. recess depth 163 mm
  - min. recess depth 90 mm

35 085 970 90

## Wall elbow with integrated shower holder - Platinum

IMO

28 490 970

mm [inches]



### Codes & Standards

Scottish Water  
Byelaws

UK Water Supply  
Regulations

### Certificates

WRAS\_1912

**Product version from 6/1/2024**





## Wall elbow with integrated shower holder - Platinum

IMO

28 490 970

### Spare parts list

#### Product version from 6/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	90 24 03 280 00 90	nipple	14	2