





## DORNBRACHT YARRE Shower head - Soft Black

28 504 832



- 180-210mm projection
- ball-joint pivotable through 30°
- normal flow
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 7.6 l/min
- rosette Ø 55 mm
- WRAS 240202028

	Soft Black	28 504 832-69
	Chrome	28 504 832-00

### Recommended miscellaneous


**Concealed wall elbow -** 35 085 970 90




## DORNBRACHT YARRE Shower head - Soft Black

28 504 832

mm [inches]



### Flow rate chart



## Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply Regulations

## Ü-Zeichen



## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

### Certificates

---

LGA\_28


WRAS\_240202

## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

**Product version from 1/1/2023**





## DORNBACHT YARRE Shower head - Soft Black

---

28 504 832

### Spare parts list

#### Product version from 1/1/2023

No.	Item Number	Name	Quantity used	Delivery time
	90 27 83 016 00-69	rosette	2	2