

## Body spray without volume control FlowReduce - Brushed Light Gold

TARA

28 518 979



- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 5 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Fits: TARA, LISSÉ, VAIA, META

|  |                               |               |
|--|-------------------------------|---------------|
|    | Brushed Light Gold            | 28 518 979-27 |
|    | Chrome                        | 28 518 979-00 |
|    | Brushed Platinum              | 28 518 979-06 |
|    | Platinum                      | 28 518 979-08 |
|    | Durabrand (23kt Gold)         | 28 518 979-09 |
|    | Dark Chrome                   | 28 518 979-19 |
|    | Light Gold                    | 28 518 979-26 |
|    | Brushed Durabrand (23kt Gold) | 28 518 979-28 |
|    | Matte Black                   | 28 518 979-33 |
|   | Brushed Bronze                | 28 518 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 518 979-46 |
|  | Champagne (22kt Gold)         | 28 518 979-47 |
|  | Brushed Chrome                | 28 518 979-93 |
|  | Brushed Dark Platinum         | 28 518 979-99 |

### Recommended miscellaneous



#### Concealed wall elbow -

35 085 970 90


- min. recess depth 90 mm
- max. recess depth 163 mm

28 518 979


mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## Body spray without volume control FlowReduce - Brushed Light Gold

---

TARA

28 518 979

### Certificates

---

LGA\_38

28 518 979

**Product version from 4/1/2024**





Body spray without volume control FlowReduce - Brushed Light Gold

TARA

28 518 979

Spare parts list

Product version from 4/1/2024

| No. | Item Number        | Name | Quantity used | Delivery time |
|-----|--------------------|------|---------------|---------------|
|     | 90 14 10 026 00 90 | seal | 9             | 2             |