

## Rain shower with wall fixing 400 mm - Light Gold

SERIES SPECIFIC

28 659 970 Product version from 3/13/2017



- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- with anti-scale system

### Technical data:

- 450mm projection
- rosette Ø 60 mm
- 1/2" connection

### Notes:

- WRAS

Product change as of 1st April 2024: max. flow 20l/min

|   |                                |               |
|---|--------------------------------|---------------|
|    | Light Gold                     | 28 659 970-26 |
|    | Chrome                         | 28 659 970-00 |
|    | Brushed Platinum               | 28 659 970-06 |
|    | Platinum                       | 28 659 970-08 |
|    | Dark Chrome                    | 28 659 970-19 |
|    | Brushed Light Gold             | 28 659 970-27 |
|    | Brushed Durabronze (23kt Gold) | 28 659 970-28 |
|    | Matte Black                    | 28 659 970-33 |
|    | Brushed Dark Brass             | 28 659 970-39 |
|   | Brushed Bronze                 | 28 659 970-42 |
|  | Brushed Champagne (22kt Gold)  | 28 659 970-46 |
|  | Champagne (22kt Gold)          | 28 659 970-47 |
|  | Brushed Chrome                 | 28 659 970-93 |
|  | Brushed Dark Platinum          | 28 659 970-99 |

## Recommended miscellaneous

### Concealed wall elbow -

35 085 970 90



- min. recess depth 90 mm
- max. recess depth 163 mm

## Rain shower with wall fixing 400 mm - Light Gold

SERIES SPECIFIC

28 659 970 Product version from 3/13/2017



Flow rate chart



### Codes & Standards

DIN 4109

EN 1112

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Rain shower with wall fixing 400 mm - Light Gold

SERIES SPECIFIC

28 659 970    Product version from 3/13/2017

Certificates and sustainability

|        |        |           |                 |
|--------|--------|-----------|-----------------|
| LGA_29 | LGA_29 | WRAS_2212 | DVGW_DW-6517DN0 |
|--------|--------|-----------|-----------------|



## Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 5   | 90 11 03 070 00-26 | pipe       | 1.00          | 30            |
| 1   | 04 30 31 032 00 90 | fixing set | 1.00          | 2             |
| 2   | 09 17 20 120 90    | holder     | 1.00          | 2             |
| 6   | 09 23 01 075 90    | insert     | 1.00          | 2             |
| 3   | 09 14 10 150 90    | seal       | 2.00          | 2             |
| 8   | 90 30 09 069 00 90 | key        | 1.00          | 2             |
| 4   | 09 27 97 015-26    | rosette    | 1.00          | 60            |
| 7   | 90 12 05 090 00-26 | shower     | 1.00          | 30            |