

META Single-lever shower mixer for wall mounting - Brushed Light Gold

META

33 300 660
Product version from 7/1/2023



- 3/8" shower outlet
  - slide-on rosettes Ø 60 mm
  - 1/2" connection
  - gauge 150 mm - 15 mm
  - WRAS

**Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Brushed Light Gold	33 300 660-27
	Chrome	33 300 660-00
	Brushed Platinum	33 300 660-06
	Dark Chrome	33 300 660-19
	Light Gold	33 300 660-26
	Matte Black	33 300 660-33
	Brushed Dark Brass	33 300 660-39
	Brushed Bronze	33 300 660-42
	Brushed Champagne (22kt Gold)	33 300 660-46
	Champagne (22kt Gold)	33 300 660-47
	Brushed Chrome	33 300 660-93
	Brushed Dark Platinum	33 300 660-99

Required miscellaneous



- Single holder for 16 mm AluPEX pipes -**
29 021 970 90


  - for 16 mm AluPEX pipes

33 300 660 Product version from 7/1/2023

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



## META Single-lever shower mixer for wall mounting - Brushed Light Gold

---


META

33 300 660 Product version from 7/1/2023

Certificates and sustainability

---

LGA\_29



## Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	13 09 18 40 059-27	sleeve	2.00	60
	16 09 24 03 115 20-27	nipple	1.00	60
	5 90 28 10 148 00 90	accessories	1.00	2
	12 09 23 10 048-27	nut	2.00	60
	17 90 21 02 069 00-27	cover	1.00	20
	6 90 15 05 064 00 90	cartridge	1.00	2
	11 09 14 10 008 90	seal	2.00	2
	8 09 27 62 004-27	rosette	2.00	60
	15 90 14 10 032 00 90	seal	1.00	2
	2 09 28 30 032-27	cover	1.00	60
	4 09 24 04 296 90	nut	1.00	2
	9 09 14 10 119 90	seal	2.00	2
	14 90 23 01 141 00 90	back-flow preventer	1.00	2
	3 09 14 10 102 90	seal	1.00	2
	10 09 29 05 005 20 90	nipple	2.00	60
	7 04 11 04 030 00 90	connection	2.00	2
	1 90 20 66 007 00-27	handle	1.00	20