

META SQUARE Single-lever mixer - Platinum

META SQUARE

33 815 861 Product version from 2/1/2023



- 235mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

| | | |
|---|--------------------------------|---------------|
|  | Platinum | 33 815 861-08 |
|  | Chrome | 33 815 861-00 |
|  | Brushed Platinum | 33 815 861-06 |
|  | Durabronze (23kt Gold) | 33 815 861-09 |
|  | Dark Chrome | 33 815 861-19 |
|  | Brushed Durabronze (23kt Gold) | 33 815 861-28 |
|  | Matte Black | 33 815 861-33 |
|  | Brushed Bronze | 33 815 861-42 |
|  | Brushed Champagne (22kt Gold) | 33 815 861-46 |
|  | Champagne (22kt Gold) | 33 815 861-47 |
|  | Brushed Chrome | 33 815 861-93 |
|  | Brushed Dark Platinum | 33 815 861-99 |

Recommended miscellaneous

Swivel limitation set - 12 820 970 90



Recommended miscellaneous

Strainer waste with control handle - Platinum 10 712 970-08




Recommended miscellaneous

Dispenser without rosette - Platinum 82 424 970-08




33 815 861 Product version from 2/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



META SQUARE Single-lever mixer - Platinum


META SQUARE

33 815 861 Product version from 2/1/2023

Certificates and sustainability

LGA_38

WRAS_240102



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1 | 90 28 22 284 00-08 | spout | 1.00 | 40 |
| 4 | 90 28 30 052 00-08 | cover | 1.00 | 40 |
| 3 | 09 24 04 266 90 | nut | 1.00 | 2 |
| 2 | 90 15 05 042 00 90 | cartridge | 1.00 | 2 |
| 6 | 04 23 10 044 08 90 | fixing set | 1.00 | 2 |
| 7 | 04 30 04 101 00 90 | hose | 2.00 | 2 |
| 5 | 90 20 66 033 00-08 | handle | 1.00 | 40 |