






DORNBRACHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110




- 230mm projection
 - pivotable spout 120°
 - air-enriched flow and spray flow
 - fabric braided hose 1500 mm
 - max. flow 7 l/min at 3 bar flow pressure
- Intrinsic protection against back flow.

	Brushed Nickel	33 960 110-70
	Chrome	33 960 110-00
	Soft Black	33 960 110-69


DORNBRAUCH LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

EN 817

ISO 3822

Ü-Zeichen

XP P 41-280



DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Certificates

Belgaqua_23-012-2 ACS_23 ACC NY


AbP_10

DVGW_DW-
6506DN0

DORNBRAUCHT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Parts for other
finishes can be found
here: [Chrome](#)





DORNBRACT LYV Single-lever mixer Pull-out with spray function - Brushed Nickel

33 960 110

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	90 20 81 001 00-70	handle	15	2