

xTOOL Concealed thermostat module without volume control -

35 503 970 90



- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 2x female thread 3/4" outlet for additional valves
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

Recommended miscellaneous

Extension 28 mm -	12 177 970 90

Recommended miscellaneous


Extension 46 mm -	12 178 970 90

Required miscellaneous

	<b>Drybox Thermostat module without volume control -</b> •Overflow is part of the scope of delivery.	39 503 970 90
--	---	---------------

## xTOOL Concealed thermostat module without volume control -

35 503 970 90



## Codes & Standards

EN 1111

EN 1717

XP P 41-280

## Certificates


ACS\_21 ACC LY      Belgaqua\_21-031-2      DVGW\_DW-6512DN0

## xTOOL Concealed thermostat module without volume control -

35 503 970 90

Product version up to 11/25/2021

**Product version from 1/1/2022**





## xTOOL Concealed thermostat module without volume control -

---

35 503 970 90

### Spare parts list

Product version up to 11/25/2021

#### **Product version from 1/1/2022**

No.	Item Number	Name	Quantity used	Delivery time
	90 23 01 091 00 90	set	21	2