








LISSÉ Concealed single-lever mixer with cover plate - Brushed Platinum

LISSÉ

36 060 845

- cover plate 78 x 78 mm



| | | |
|---|-----------------------|---------------|
|  | Brushed Platinum | 36 060 845-06 |
|  | Chrome | 36 060 845-00 |
|  | Dark Chrome | 36 060 845-19 |
|  | Brushed Light Gold | 36 060 845-27 |
|  | Matte Black | 36 060 845-33 |
|  | Brushed Chrome | 36 060 845-93 |
|  | Brushed Dark Platinum | 36 060 845-99 |

Required miscellaneous



Concealed wall-mounted single-lever mixer -

35 860 970 90

- max. recess depth 95 mm
- min. recess depth 80 mm

Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



LISSE Concealed single-lever mixer with cover plate - Brushed Platinum


LISSE

36 060 845

Certificates and sustainability

LGA_29

36 060 845



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 5 | 90 31 11 030 00 90 | pin | 1.00 | 2 |
| 6 | 09 20 84 021-06 | handle | 1.00 | 10 |
| 3 | 09 11 02 288-06 | cover | 1.00 | 10 |
| 7 | 90 30 09 064 00 90 | key | 1.00 | 2 |
| 4 | 90 31 20 087 00-06 | plug | 1.00 | 10 |
| 1 | 90 15 05 046 02 90 | cartridge | 1.00 | 2 |
| 2 | 90 27 84 020 00-06 | rosette | 1.00 | 10 |