















## WATER FAN horizontal Concealed body spray - Light Gold

SERIES-VARIOUS

36 512 979



- forceful flat water jet
- horizontal water jet
- cover plate 240 x 60 mm
- water jet adjustable
- 1/2" connection
- max. flow 10 l/min
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|   |                                |               |
|---|--------------------------------|---------------|
|    | Light Gold                     | 36 512 979-26 |
|    | Chrome                         | 36 512 979-00 |
|    | Brushed Platinum               | 36 512 979-06 |
|    | Platinum                       | 36 512 979-08 |
|    | Dark Chrome                    | 36 512 979-19 |
|    | Brushed Light Gold             | 36 512 979-27 |
|    | Brushed Durabronze (23kt Gold) | 36 512 979-28 |
|    | Matte Black                    | 36 512 979-33 |
|    | Brushed Dark Brass             | 36 512 979-39 |
|   | Brushed Bronze                 | 36 512 979-42 |
|  | Brushed Champagne (22kt Gold)  | 36 512 979-46 |
|  | Champagne (22kt Gold)          | 36 512 979-47 |
|  | Brushed Chrome                 | 36 512 979-93 |
|  | Brushed Dark Platinum          | 36 512 979-99 |

### Required miscellaneous



- Concealed wall installation box - 35 206 970 90**
- min. recess depth 100 mm
  - max. recess depth 173 mm

36 512 979

mm [inches]



**Flow rate chart**



**Trajectory diagram**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



WATER FAN horizontal Concealed body spray - Light Gold

SERIES-VARIOUS

36 512 979

Certificates and sustainability

LGA\_29

WRAS\_250602

36 512 979

