

MEM Wall valve clockwise closing 1/2" - Brushed Platinum

MEM


36 607 782    Product version up to 10/14/2020



- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve
- WRAS

	Brushed Platinum	36 607 782-06
	Chrome	36 607 782-00
	Platinum	36 607 782-08
	Dark Chrome	36 607 782-19
	Brushed Durabrass (23kt Gold)	36 607 782-28
	Brushed Champagne (22kt Gold)	36 607 782-46
	Champagne (22kt Gold)	36 607 782-47
	Brushed Chrome	36 607 782-93
	Brushed Dark Platinum	36 607 782-99

Required miscellaneous

	<b>Wall valve 1/2" -</b>	35 607 970 90
	•max. recess depth 150 mm	
	•min. recess depth 105 mm	

MEM Wall valve clockwise closing 1/2" - Brushed Platinum

MEM

36 607 782    Product version up to 10/14/2020

mm [inches]



Codes & Standards			
ASME A112.18.1	cUPC	DIN 4109	EN 1111
EN 200	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates and sustainability				
DVGW_DW-6501DN0	WRAS_2011	LGA_29	WRAS_2010	DVGW_DW-6512DN0
LGA_29	IAPMO_4976 (			



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	90 20 78 002 02-06	handle	1.00	10
1	90 90 03 143 00 90	top	1.00	2
2	90 21 02 108 00 90	disc	1.00	2
4	90 20 78 002 01-06	handle	1.00	10