







MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360



- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower Ø 200 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 95mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

	Durabrand (23kt Gold)	ST 050 304 6360-09
	Chrome	ST 050 304 6360-00
	Brushed Platinum	ST 050 304 6360-06
	Platinum	ST 050 304 6360-08
	Brushed Durabrand (23kt Gold)	ST 050 304 6360-28
	Brushed Dark Platinum	ST 050 304 6360-99

Individual components of this set

You need the following components for this set






	1x	11 420 360-09		1x	28 002 978-09
	1x	34 459 360-09			

MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360



	Durabrand (23kt Gold)	11 420 360-0
	Chrome	11 420 360-0
	Brushed Platinum	11 420 360-0
	Platinum	11 420 360-0
	Brushed Durabrand (23kt Gold)	11 420 360-2
	Brushed Dark Platinum	11 420 360-9



MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360

19  
—  
10  
—  
16  
—  
18  
—  
8  
—  
19  
—



## MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

---

MADISON

ST 050 304 6360




## MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

---

MADISON

ST 050 304 6360





## MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)


---

MADISON

ST 050 304 6360

ST 050 304 6360

Parts for other  
finishes can be found  
here: [Chrome](#)







MADISON Showerpipe with shower thermostat - Durabrass (23kt Gold)

MADISON

ST 050 304 6360

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	09 20 36 005-09	handle	11	40

# MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360



- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 95mm
- 1/2" connection

Intrinsic protection against back flow.

	Durabrand (23kt Gold)	28 002 978-0
	Chrome	28 002 978-0
	Chrome	28 002 978-00 001
	Brushed Platinum	28 002 978-0
	Brushed Platinum	28 002 978-06 001
	Platinum	28 002 978-0
	Platinum	28 002 978-08 001
	Durabrand (23kt Gold)	28 002 978-09 001
	Brushed Durabrand (23kt Gold)	28 002 978-2
	Brushed Durabrand (23kt Gold)	28 002 978-28 001
	Brushed Chrome	28 002 978-9
	Brushed Chrome	28 002 978-93 001
	Brushed Dark Platinum	28 002 978-9
	Brushed Dark Platinum	28 002 978-99 001



MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360


9  
—  
0  
—  
0  
—  
6  
—  
0  
—  
8  
—  
0  
—  
0  
—  
8  
—  
0  
—  
3  
—  
0  
—  
9  
—  
0  
—

ST 050 304 6360

mm [inches]



Flow rate chart



Certificates

LGA\_18



MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360

Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen




## MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

---

MADISON

ST 050 304 6360

Parts for other  
finishes can be found  
here: [Chrome](#)



ST 050 304 6360

Spare parts list







No.	Item Number	Name	Quantity used	Delivery time
	09 21 02 115 90	cap	5	2



ST 050 304 6360



- shower with fixed riser projection 420mm
- rain shower Ø 200 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 8 l/min
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

	Durabross (23kt Gold)	34 459 360-0
	Chrome	34 459 360-0
	Brushed Platinum	34 459 360-0
	Platinum	34 459 360-0
	Brushed Durabross (23kt Gold)	34 459 360-2
	Brushed Dark Platinum	34 459 360-9

This article does not include a hand shower!

Intrinsic protection against back flow.

NOTE:The handles must be ordered separately from the fittings!




MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON


ST 050 304 6360

19  
—  
10  
—  
16  
—  
18  
—  
8  
—  
19  
—

ST 050 304 6360



Flow rate chart



Certificates

LGA\_38



MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

MADISON

ST 050 304 6360

Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen




## MADISON Showerpipe with shower thermostat - Durabrand (23kt Gold)

---

MADISON

ST 050 304 6360

Parts for other  
finishes can be found  
here: [Chrome](#)





MADISON Showerpipe with shower thermostat - Durabrass (23kt Gold)

MADISON

ST 050 304 6360

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 038 01-09	shower	17	60